State of California Department of Public Health CLINICAL LABORATORY CERTIFICATE OF DEEMED STATUS

In accordance with the provisions of Chapter 3, Division 2 of the Business and Professions Code, the persons named below are hereby issued a certificate to operate a clinical laboratory at the indicated address or other site(s) on file with the department.

RADY CHILDREN'S HOSPITAL AND HEALTH CENTER 3020 CHILDREN'S WAY SUITE MC5007 SAN DIEGO CA 92123

OWNER(S):

RADY CHILDREN'S HOSP & HEALTH CENTER MARGARETA E. NORTON, CAO DONALD KEARNS, MD, CMD IRVIN KAUFMAN MD, SVP

DIRECTOR(S):

ROBERT O NEWBURY MD KATAYOON SHAYAN MD DENISE M. MALICKI MD JUN MO MD SUZANNE TUCKER MD

LAB ID Number:

CDF00003053 December 28, 2018

Valid Until: CLIA Number:

Effective Date:

December 27, 2019 05D0571393

Robert J. Thomas

Robert J. Thomas, Chief Laboratory Field Services



Dear Laboratory Director

Attached below is your clinical laboratory certificate. Your certificate is void after the expiration date below.

Expiration Date: December 27, 2019

RADY CHILDREN'S HOSPITAL AND HEALTH CENTER 3020 CHILDRENS WAY SUITE MC5007 SAN DIEGO CA 92123-4282

DISPLAY:

State law requires that the clinical laboratory certificate shall be conspicuously posted in the clinical laboratory.

CHANGE OF LABORATORY NAME, DIRECTOR, OWNER AND/OR ADDRESS:

State law requires that the laboratory owner and/or the director notify this office within 30 days of any change in ownership, name, location, or laboratory directors. YOUR CERTIFICATE ALSO WILL BE AUTOMATICALLY REVOKED 30 DAYS AFTER A MAJOR OWNER AND/OR DIRECTOR CHANGE.

You must submit a completed application for a new clinical laboratory certificate within those 30 days or cease engaging in clinical laboratory practice. Mail written notification and/or application to the address indicated below.

CALIFORNIA DEPARTMENT OF PUBLIC HEALTH Laboratory Field Services, Facility Licensing Section 850 Marina Bay Parkway, Building P, 1st Floor Richmond, CA 94804-6403

Thank you for your cooperation.

Lab 142A Labclin (01-17)